
Sheet 1 of 2


Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 10286-014001	Application No. 10/042,421
Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant Robert Sackstein	
		Filing Date October 18, 2001	Group Art Unit 1644

U.S. Patent Documents							
Examiner Initial	Desig. ID	Document Number	Date Issued	Patentee	Class	Subclass	Filing Date If Appropriate
<i>MS</i>	AA	5,849,898	12/15/1998	Seed et al.			06/07/1995
	AB						
	AC						

Foreign Patent Documents or Published Foreign Patent Applications								
Examiner Initial	Desig. ID	Document Number	Publication Date	Country or Patent Office	Class	Subclass	Translation	
							Yes	No
	AD	WO 92/01049	01/23/1992	WIPO				
	AE							
	AF							

Other Documents (include Author, Title, Date, and Place of Publication)		
Examiner Initial	Desig. ID	Document
<i>MS</i>	AG	Candal et al., "BMEC-1: A Human Bone Marrow Microvascular endothelial Cell Line with Primary Cell Characteristics," <i>Microvasc. Research</i> , 52:221-234 (1996)
	AH	DeLuca et al., "A Novel Cobra Venom Metalloproteinase, Mocarhagin, Cleaves a 10-Amino Acid Peptide from the Mature N Terminus of P-selectin Glycoprotein Ligand Receptor, PSGL-1, and Abolishes P-selectin Binding," <i>J. Biological Chem.</i> 270(45):26734-26737 (1995)
	AI	Dimitroff et al., "A distinct glycoform of CD44 is an L-selectin ligand on human hematopoietic cells," <i>PNAS</i> 97(25):13841-13846 (2000)
	AJ	Dougherty et al., "Molecular Cloning of CD44R1 and CD44R2, Two Novel Isoforms of the Human CD44 Lymphocyte 'Homing' Receptor Expressed by Hemopoietic Cells," <i>J. Exp. Med.</i> 174:1-5 (1991)
	AK	Finger et al., "Adhesion through L-selectin requires a threshold hydrodynamic shear," <i>Nature</i> 379:266-269 (1996)
	AL	Fuhlbrigge et al., "Cutaneous lymphocyte antigen is a specialized form of PSGL-1 expressed on skin-homing T cells," <i>Nature</i> 389:978-981 (1997)
	AM	Goelz et al., "Differential Expression of an E-selectin Ligand (Sle ^x) by Two Chinese Hamster Ovary Cell Lines Transfected with the Same $\alpha(1,3)$ -Fucosyltransferase Gene (ELFT)," <i>J. Biological Chem.</i> , 269(2):1033-1040 (1994)
	AN	Guyet et al., "P-Selectin Glycoprotein Ligand-1 (PSGL-1) Is a Ligand for L-Selectin in Neutrophil Aggregation," <i>Blood</i> 88(7):2415-2421 (1996)
	AO	Hale, L. and Haynes, B., "Bromelain Treatment of Human T Cells Removes CD44, CD45RA, E2/MIC2, CD6, CD7, CD8, and Leu 8/LAM1 Surface Molecules and Markedly Enhances CD2-Mediated T Cell Activation," <i>J. Immunol.</i> 149(12):3809-3816 (1992)
<i>MS</i>	AP	Jalkanen et al., "A lymphoid cell surface glycoprotein involved in endothelial cell recognition and lymphocyte homing in man," <i>Eur. J. Immunol.</i> 16:1195-1202 (1986)

Examiner Signature <i>Paul G. Sackstein 3/15/04</i>	Date Considered
EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

Substitute Form PTO-1449
(Modified)U.S. Department of Commerce
Patent and Trademark OfficeAttorney's Docket No.
10286-014001Application No.
10/042,421**Information Disclosure Statement
by Applicant**

(Use several sheets if necessary)

Applicant
Robert SacksteinFiling Date
October 18, 2001Group Art Unit
1644**Other Documents (include Author, Title, Date, and Place of Publication)**

Examiner Initial	Desig. ID	Document
M	AQ	Jalkanen et al., "Biochemical Properties of Glycoproteins Involved in Lymphocyte Recognition of High Endothelial Venules in Man," <i>J. Immunol.</i> 141(5):1615-1623 (1988)
	AR	Kugleman et al., "The Core Protein of Epican, a Heparan Sulfate Proteoglycan on Keratinocytes, Is an Alternative Form of CD44," <i>The Society for Investigative Dermatology, Inc.</i> , pp. 887-891 (1992)
	AS	Lawrence et al., "Effect of Flow on Polymorphonuclear Leukocyte/Endothelial Cell Adhesion," <i>Blood</i> 70(5):1284-1290 (1987)
	AT	Lawrence et al., "Threshold Levels of Fluid Shear Promote Leukocyte Adhesion through Selectins (CD62L,P,E)," <i>J. Cell Biol.</i> 136(3):717-727 (1999)
	AU	Oxley et al., "Detection of an L-Selectin Ligand on a Hematopoietic Progenitor Cell Line," <i>Blood</i> 84(10):3299-3306 (1994)
	AV	Ramos et al., "Functional Characterization of L-Selectin Ligands on Human Neutrophils and Leukemia Cell Lines: Evidence for Mucinlike Ligand Activity Distinct From P-Selectin Glycoprotein Ligand-1," <i>Blood</i> 91(3):1067-1075 (1998)
	AW	Sackstein et al., "Hematopoietic Cell L-Selectin Ligand Exhibits Sulfate-Independent Binding Activity," <i>Blood</i> 89(8):2773-2781 (1997)
	AX	Sackstein, R., and Dimitroff, C., "A hematopoietic cell L-selectin ligand that is distinct from PSGL-1 and displays N-glycan-dependent binding activity," <i>Blood</i> 96(8):2765-2774 (2000)
	AY	Sasaki et al., "Expression Cloning of a Novel Gal β (1-3/1-4)GlcNAc α 2,3-Sialyltransferase Using Lectin Resistance Selection," <i>J. Biol. Chem.</i> , 268(30):22782-22787 (1993)
	AZ	Snapp et al., "A Novel P-Selectin Glycoprotein Ligand-1 Monoclonal Antibody Recognizes an Epitope Within the Tyrosine Sulfate Motif of Human PSGL-1 and Blocks Recognition of Both P- and L-Selectin," <i>Blood</i> 91(1):154-164 (1998)
	AAA	Spertini et al., "P-Selectin Glycoprotein Ligand 1 Is a Ligand for L-Selectin on Neutrophils, Monocytes, and CD34+ Hematopoietic Progenitor Cells," <i>J. Cell Biol.</i> 135(2):523-531 (1996)
	ABB	Stamenkovic et al., "The hematopoietic and epithelial forms of CD44 are distinct polypeptides with different adhesion potentials for hyaluronate-bearing cells," <i>EMBO Journal</i> , 10(2):343-348 (1991)
	ACC	Tu et al., "L-Selectin Binds to P-Selectin Glycoprotein Ligand-1 on Leukocytes: Interactions Between the Lectin, Epidermal Growth Factor, and Consensus Repeat Domains of the Selectins Determine Ligand Binding Specificity," <i>J. Immunol.</i> 157(9):3995-4004 (1996)
	ADD	Vachino et al., "P-selectin Glycoprotein Ligand-1 Is the Major Counter-receptor for P-selectin on Stimulated T Cells and Is Widely Distributed in Non-functional Form on Many Lymphocytic Cells," <i>J. Biol. Chem.</i> 270(37):21966-21974 (1995)
M	AEE	Zollner, O., and Vestweber, D., "The E-selectin Ligand-1 Is Selectively Activated in Chinese Hamster Ovary Cells by the α (1,3)-Fucosyltransferases IV and VII," <i>J. Biol. Chem.</i> 271(51):33002-33008 (1996)

Examiner Signature

Date Considered

2/15/04

EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



Sheet 1 of 1

Form PTO-1449 (Rev. 2-88)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTY. DOCKET NO. 7414-12CIP-2		APPLICATION NO. 10/042421 09/640,290	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)				APPLICANT Sackstein		GROUP 1646	
				FILING DATE July 19, 2000			
U.S. PATENT DOCUMENTS							
EXAMINER'S INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
							RECEIVED MAY 27 2003
FOREIGN PATENT DOCUMENTS							
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	YES NO
OTHER DOCUMENTS							
M			SHARON et al., Carbohydrates in Cell Recognition, Scientific American, January 1993, pp. 82-89				
			OXLEY et al., L-Selectin-CD34 Interactions Mediate Functional Binding of Lymphocytes to Hematopoietic Progenitor Cells, Clinical Research, 1994, vol. 42, no. 2, p. 235A				
			SHIMIZU et al., Mucins in the Mainstream, Nature, 16 December 1993, vol. 366, pp. 630-631				
			ARBONES et al., Lymphocyte Homing and Leukocyte Rolling and Migration are Impaired in L-Selectin-Deficient Mice, Immunity, 1994, vol. 1, pp. 247-260				
			ROSEN, Cell Surface Lectins in the Immune System, Seminars in Immunology, 1993, vol. 5, pp. 237-247				
			BERTOZZI, Cracking the Carbohydrate Code for Selectin Recognition, Chemistry & Biology, November 1995, vol. 2, pp. 703-708				
			SACKSTEIN et al., Evidence of Post-transcriptional Regulation of L-Selectin Gene Expression in Rat Lymphoid Cells, Immunology, 1995, vol. 85, pp. 198-204				
			JUNG et al., Rapid Modulation of Homing Receptors (gp90 ^{MEL-14}) Induced by Activators of Protein Kinase C, J. of Immunology, April 1990, vol. 144, pp. 3130-3136				
M			LI et al., Post-translational Modifications of Recombinant P-Selectin Glycoprotein Ligand-1 Required for Binding to P- and E-Selectin, J. of Biological Chemistry, February 1996, vol. 271, pp. 3255-3264				
			Current Protocols in Molecular Biology, vol. 2, 1998, John Wiley & Sons, Inc., pp. 9.2.1-9.2.10				
EXAMINER		Pittman Ganger 3/15/04			DATE CONSIDERED		
* EXAMINER: Initial if a citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							

Form PTO-1449		Docket Number (Optional) 0152.00378		Application Number 09/619,290	
INFORMATION DISCLOSURE CITATION IN AN APPLICATION (Use several sheets if necessary)		Applicant Robert Sackstein		10/04/00	
		Filing Date 07/19/00		Group Art Unit 1846 1644	
<div style="text-align: right;">RECEIVED</div> <div style="text-align: right;">MAR 12 2003</div> <div style="text-align: right;">TECH CENTER 1600/290</div>					
U.S. PATENT DOCUMENTS					
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS
FOREIGN PATENT DOCUMENTS					
	DOCKET NUMBER	DATE	COUNTRY	CLASS	SUBCLASS
OTHER DOCUMENTS (Including Author, Title, Date Pertinent Pages, Etc.)					
Not avail. 1			Arbones ML, et al., "Lymphocyte homing and leukocyte rolling and migration are impaired in L-selectin-deficient mice," <i>Immunity</i> , 1:247-260 (1994).		
2		✓	Aruffo, Alejandro, et al., "CD62/P-Selectin Recognition of Myeloid and Tumor Cell Sulfatides," <i>Cell</i> , Vol. 67, 35-44 (1991).		
3		✓	Asa D, et al., "The P-selectin glycoprotein ligand functions as a common human leukocyte ligand for P- and E-selectins," <i>J. Biol. Chem.</i> ;270:11662-11670 (1995).		
4		✓	Baeuerle, Patrick A. et al., "Chlorate - A Potent Inhibitor of Protein Sulfation in Intact Cells," <i>Biochemical and Biophysical Research Communications</i> , Vol. 141, No. 2, 870-877 (1986).		
5		✓	Baumhueter, S. et al., "Binding of L-Selectin to the Vascular Sialomucin CD34," <i>Science</i> , Vol. 262, No. 5132, 436-438 (1993).		
6		✓	Berg, EL, et al., "L-selectin-mediated lymphocyte rolling on MAdCAM-1," <i>Nature</i> , Vol. 366 (1993).		
Not avail. 7			Bertozzi, "Cracking the carbohydrate code for selectin recognition," <i>Chemistry & Biology</i> , 2:703-708 (1995).		
8		✓	Bevilacqua, Michael P. et al., "Selectins," <i>J. Clin. Invest.</i> , Perspectives, Vol. 91, 379-387 (1993).		
9		✓	Bistrup A. et al., "Sulfotransferases of two specificities function in the reconstitution of high endothelial cell ligands for L-selectin," <i>J. Cell Biol.</i> , 145:899-910 (1999).		
10		✓	Bollman, Jesse L. et al., "Techniques for the Collection of Lymph From the Liver, Small Intestine, or Thoracic Duct of the Rat," 1349-1352 (1948).		
11		✓	Carlos, Timothy M. et al., "Leukocyte-Endothelial Adhesion Molecules," <i>Blood</i> , Vol. 84, No. 7, 2068-2101 (1994).		
12		✓	Chin, Yee-Hon, et al., "Lymphocyte-Homing Receptors and Preferential Migration Pathways," 374-380 (1991).		
13		✓	Civin, Curt I. et al., "Antigenic Analysis of Hematopoiesis. III. A Hematopoietic Progenitor Cell Surface Antigen Defined by a Monoclonal Antibody Raised against KG-1a Cells," <i>Journal of Immunol.</i> , Vol. 133, No. 1, 157-165 (1984).		

Pharmax G. Moxer 3/10/04

10/042421

14	✓	Cowing, Carol, et al., "T cells discriminate between Ia antigens expressed on allogeneic accessory cells and B cells: A potential function for carbohydrate side chains on Ia molecules," <i>Proc. Natl. Acad.</i> , Vol. 80, 6000-6004 (1983).
15	✓	Cullen, Susan E. et al., "Differential Glycosylation of Murine B Cell and Spleen Adherent Cell Antigens ¹ ," <i>Journal of Immun.</i> , Vol. 127, No. 4, 1478-1484 (1981).
16	✓	De Luca M. et al., "A novel cobra venom metalloprotease, mocarhagin, cleaves a 10-amino acid peptide from the mature N terminus of P-selectin Glycoprotein ligand receptor, PSGL-1 and abolishes P-selectin binding," <i>J. Biol. Chem.</i> , 270:26734-26737 (1995).
17	✓	Dowbenko, Donald, et al., "Glycosylation-dependent Cell Adhesion Molecule 1 (GlyCAM 1) Mucin is Expressed by Lactating Mammary Gland Epithelial Cells and is Present in Milk," <i>J. Clin. Invest.</i> Vol. 92, 952-960 (1993).
18	✓	Drzeniek, R., "Substrate specificity of neuraminidases," <i>Histochem.</i> 5:271-290 (1973).
19	✓	Expression of Adhesion Molecules on CD34 ⁺ Cells: CD34 ⁺ L-Selectin ⁺ Cells Predict a Rapid Platelet Recovery After Peripheral Blood Stem Cell Transplantation," <i>Blood</i> , Vol. 85, No. 11, 3313-3319 (1995).
20	✓	Finger EB, et al., "Adhesion through L-selectin requires a threshold hydrodynamic shear," <i>Nature</i> , 379:266-269 (1996).
21	✓	Francis K. et al., "Two new pseudopod morphologies displayed by the human hematopoietic KG1a progenitor cell line and by primary human CD34 ⁺ cells," <i>Blood</i> , 92:3616-3623 (1998).
22	✓	Frenette PS. et al., "Endothelial selectins and vascular cell adhesion molecule-1 promote hematopoietic progenitor homing to the bone marrow," <i>Proc. Natl. Acad. Sci. USA</i> , 95:14423-14428 (1998).
23	✓	Frenette, Paul S. et al., "Susceptibility to Infection and Altered Hematopoiesis in Mice Deficient in Both P- and E-Selectins," <i>Cell</i> , Vol. 84, 563-574 (1996).
24	✓	Frenette, PS. et al., "Susceptibility to infection and altered hematopoiesis in mice deficient in both P- and E-selectins," <i>Cell</i> , 184:563-574 (1996).
25	✓	Fuhlbrigge RC, et al. "Cutaneous lymphocyte antigen is a specialized form of PSGL-1 expressed on skin-homing T-cells," <i>Nature</i> , 389:978-981 (1997).
26	✓	Gallatin, W. Michael, et al., "A cell-surface molecule involved in organ-specific homing of lymphocytes," <i>Nature</i> , Vol. 304, 30-32 (1983).
27	✓	Gatenby, Paul A. et al., "Dissection of Immunoregulatory Subpopulations of T Lymphocytes Within the Helper and Suppressor Sublineages in Man ¹ ," <i>Journ. Of Immun.</i> , Vol. 129, No. 5 (1982).
28	✓	Gowans, JL. et al., "The route of re-circulation of lymphocytes in the rat," <i>Biol. Sciences</i> , 257-282 (1963).
29	✓	Green, Paula J. et al., "Further studies of the binding specificity of the leukocyte adhesion molecule, L-selectin, towards sulphated oligosaccharides - suggestion of a link between the selectin- and the integrin-mediated lymphocyte adhesion systems," <i>Glycobiology</i> , Vol. 5, No. 1, 29-38 (1995).
30	✓	Green, PJ. et al., "High Affinity Binding of the Leucocyte Adhesion Molecule L-Selectin to 3'-Sulphated-Le ^a and -Le ^x Oligosaccharides and the Predominance of Sulphate in this Interaction Demonstrated by Binding Studies with a Series of Lipid-Linked Oligosaccharides," <i>Biochemical and Biophysical Research Communications</i> , Vol. 188, No. 1, 244-251 (1992).

PETER GAMER

3/15/04

RECEIVED

MAR 12 2003

TECH CENTER 1600/2900

MAR 1 2003

10/042421

31	✓	Greenberg AW, et al., "Relationship between selectin-mediated rolling of hematopoietic stem and progenitor cells and progression in hematopoietic development," <i>Blood</i> , 95:478-486 (2000).
32	✓	Griffin, James D. et al., "Granulocyte-Macrophage Colony-Stimulating Factor and other Cytokines Regulate Surface Expression of the Leukocyte Adhesion Molecule-1 on Human Neutrophils, Monocytes, and their Precursors," <i>Journal of Immunol.</i> , Vol. 145, 576-584 (1990).
33	✓	Gunji Y. et al., "Expression and function of adhesion molecules on human hematopoietic stem cells: CD34+ LFA-1- cells are more primitive than CD34+ LFA-1+ cells," <i>Blood</i> , 80:429-436 (1992).
34	✓	Guyer DA, et al., "P-selectin glycoprotein ligand-1 (PSGL-1) is a ligand for L-selectin in neutrophil aggregation," <i>Blood</i> , 88:2415-2421 (1996).
35	✓	Hemmerich, Stefan, et al., "6'-Sulfated Sialyl Lewis x Is a Major Capping Group of GlyCAM-1," <i>Biochemistry</i> , Vol. 33, 4830-4835 (1994).
36	✓	Hemmerich, Stefan, et al., "Sulfation-dependent Recognition of High Endothelial Venules (HEV)-Ligands by L-Selectin and MECA 79, an Adhesion-blocking Monoclonal Antibody," <i>Journal of Experimental Medicine</i> , Vol. 180, 2219-2226 (1994).
37	✓	Hemmerich, Stefan, et al., "Sulfation-dependent Recognition of High Endothelial Venules (HEV)-Ligands by L-Selectin and MECA 79, an Adhesion-blocking Monoclonal Antibody," <i>Journal of Experimental Med.</i> , Vol. 180, 2219-2226 (1994).
38	✓	Huff, Thomas F. et al., "Modulation of the Biologic Activities of IgE-Binding Factors," <i>Journal of Immunol.</i> , Vol. 131, No. 3, 1090-1095 (1983).
39	✓	Imai, et al., "Sulphation requirement for Cam-1, an endothelial and for L-selectin," <i>Nature</i> , Vol. 361, 555-557 (1993).
40	✓	Imai, Yasuyuki, et al., "Identification of a Carbohydrate-based Endothelial Ligand for a Lymphocyte Homing Receptor," <i>Journal of Cell Biol.</i> , Vol. 113, No. 5, 1213-1221 (1991).
Not avail. 41	✓	Jung T, et al., "Rapid modulation of homing receptors (gp90MEL-14) induced by activators of protein kinase C," <i>J. Immunol.</i> , 144:3130-3136 (1990).
42	✓	Kansas GS., "Selectins and their ligands: Current concepts and controversies," <i>Blood</i> , 88:3259-3287 (1996).
43	✓	Kikuta, Akio, et al., "Localization of Ligands for L-Selectin in Mouse Peripheral Lymph Node High Endothelial Cells by Colloidal Gold Conjugates," <i>Blood</i> , Vol. 84, No. 11 (1994).
44	✓	Kishimoto, TK. et al., "Identification of a human peripheral lymph node homing receptor: A rapidly down-regulated adhesion molecule," <i>Proc. Natl. Acad. Sci. USA.</i> , 87:244-2248 (1990).
45	✓	Koeffler, et al., "An undifferentiated variant derived from the human acute myelogenous leukemia cell line (KG-1)," <i>Blood</i> , 56:265 (1980).
Not avail. 46	✓	Koeffler, HP. et al., "An undifferentiated variant derived from the human acute myelogenous leukemia cell line (KG-1)," <i>Blood</i> , 56:265-273 (1980).
47	✓	Koenig JM, et al., "L-selectin expression enhances clonogenesis of CD34+ cord blood progenitors," <i>Pediatr. Res.</i> , 45:867-870 (1999).
48	✓	Koenig, Joyce M. et al., "L-Selectin Expression Enhances Clonogenesis of CD34+ Cord Blood Progenitors," <i>Pediatric Research</i> , Vol. 45, No. 6, 867-870 (1999).

PHILIP GAMMA 3/15/04

RECEIVED

MAR 12 2003

TECH CENTER 1600/2900

10/042421

49	✓	Kohayashi, Masanobu, et al., "Expression of Adhesion Molecules on Human Hematopoietic Progenitor Cells at Different Maturational Stages," <i>Stem Cells</i> , Vol. 12, 316-321 (1994).
50	✓	Kumar R. et al., "Core2 β -1,6-N-acetylglucosaminyltransferase enzyme activity is critical for P-selectin glycoprotein ligand-1 binding to P-selectin," <i>Blood</i> , 88:3872-3879 (1996).
51	✓	Lasky, Laurence et al., "An Endothelial Ligand for L-Selectin is a Novel Mucin-like Molecule," <i>Cell</i> , Vol. 69, 927-938 (1992).
52	✓	Laszik K. et al., "P-selectin glycoprotein ligand-1 is broadly expressed in cells of myeloid, lymphoid and dendritic lineage and in some nonhematopoietic cells," <i>Blood</i> , 88:3010-3012 (1996).
53	✓	Lemonnier F. et al., "The induction of cytolytic T lymphocytes with purified plasma membranes," <i>J. Immunol.</i> , 120:1114-1120 (1978).
54	✓	Lévesque J-P. et al., "PSGL-1-mediated adhesion of human hematopoietic progenitors to P-selectin results in suppression of hematopoiesis," <i>Immunity</i> , 11:369-378 (1999).
55	✓	Lewinsohn, David M. et al., "Leukocyte-Endothelial Cell Recognition: Evidence of a Common Molecular Mechanism Shared by Neutrophils, Lymphocytes, and Other Leukocytes ¹ ," <i>Journal of Immun.</i> , Vol. 138, 4313-4321 (1987).
Not avail. 56		Li F. et al., "Post-translational modifications of recombinant P-selectin glycoprotein ligand-1 required for binding to P- and E-selectin," <i>J. Biol. Chem.</i> , 27:3255-3264 (1996).
57	✓	Majdic, Otto, et al., "Signaling and Induction of Enhanced Cytoadhesiveness Via the Hematopoietic Progenitor Cell Surface Molecule CD34," <i>Blood</i> , Vol. 83, No. 5, 1226-1234 (1994).
58	✓	Maley F. et al., "Characterization of glycoproteins and their associated oligosaccharides through the use of endoglycosidases," <i>Anal. Biochem.</i> , 180:195-204 (1989).
59	✓	Maly, P. et al., "The α (1,3)fucosyltransferase Fuc-TVII controls leukocyte trafficking through an essential role in L-, E-, and P-selectin ligand biosynthesis," <i>Cell</i> , 86:643-653 (1996).
60	✓	Marchesi, VT. et al., "The migration of lymphocytes through the endothelium of venules in lymph nodes: an electron microscope study," <i>Biological Sciences</i> , 283- (1963).
61	✓	Mazo IB. et al., "Hematopoietic progenitor cells rolling in bone marrow microvessels: Parallel contributions by endothelial selectins and vascular cell adhesion molecule 1," <i>J. Exp. Med.</i> , 188:465-474 (1998).
62	✓	Moore KL. et al., "Identification of a specific glycoprotein ligand for P-selectin (CD62) on myeloid cells," <i>J. Cell Biol.</i> , 118:445-456 (1992).
63	✓	Moore KL. et al., "P-selectin glycoprotein ligand-1 mediates rolling of human neutrophils on P-selectin," <i>J. Cell Biol.</i> , 128:661-671 (1995).
64	✓	Moore KL., "Structure and function of P-selectin glycoprotein ligand-1," <i>Leuk. Lymph.</i> , 29:1-15 (1998).
65	✓	Norgard KE. et al., "Characterization of a specific ligand for P-selectin on myeloid cells. A minor glycoprotein with sialylated O-linked oligosaccharides," <i>J. Biol. Chem.</i> , 268:12764-12774 (1993).
66	✓	Ord, David C. et al., "Structure of the Gene Encoding the Human Leukocyte Adhesion Molecule-1 (TQ1, Leu-8) of Lymphocytes and Neutrophils," <i>Journal of Biological Chemistry</i> , Vol. 265, 7760-7767 (1990).

RECEIVED

MAR 12 2003

TECH CENTER 1600/2900

PHILIP GAMMA

3/15/04

10/07244

67	✓	Oxley, Susan M. et al., "Detection of an L-Selectin Ligand on a Hematopoietic Progenitor Cell Line," <i>Blood</i> , Vol. 84, No. 10, 3299-3306 (1994).
68	✓	Paulson JC. et al., "Newcastle disease virus contains a linkage-specific glycoprotein sialidase. Application to the localization of sialic acid residues in N-linked oligosaccharides of alpha 1-acid glycoprotein," <i>J. Biol. Chem.</i> , 257:12734-12738 (1982).
69	✓	Pouyani, Tara et al., "PSGL-1 Recognition of P-Selectin is Controlled by a Tyrosine Sulfation Consensus at the PSGL-1 Amino Terminus," <i>Cell</i> , Vol. 83, 333-343 (1995).
70	✓	Puri, Kamal D. et al., "Sialomucin CD34 is the Major L-Selectin Ligand in Human Tonsil High Endothelial Venules," <i>Journal of Cell Biol.</i> , Vol. 131, 261-270 (1995).
71	✓	Ramakrishnan, S., "Current Status of Antibody-Toxin Conjugates for Tumor Therapy," 189-213.
72	✓	Rasmussen, Robert A. et al., "Lymphocyte Recognition of Lymph Node High Endothelium; VII. Cell Surface Proteins Involved in Adhesion Defined by Monoclonal Anti-HEBF _{LN} (A.11) Antibody ¹ ," <i>Journal of Immun.</i> , Vol. 135, No. 1, 19-24 (1985).
73	✓	Reinherz, Ellis L. et al., "Heterogeneity of Human T4 ⁺ Inducer T Cells Defined by a Monoclonal Antibody that Delineates Two Functional Subpopulations ¹ ," <i>Journal of Immun.</i> , Vol. 128, No. 1, 463-468 (1982).
74	✓	Rosen, Steven D. et al., "Involvement of Sialic Acid on Endothelial Cells in Organ-Specific Lymphocyte Recirculation," <i>Science</i> , Vol. 228, No. 4702, 1005-1007 (1985).
75	✓	Sackstein R., "Expression of an L-selectin ligand on hematopoietic progenitor cells," <i>Acta Haematol.</i> , 97:22-28 (1997).
76	✓	Sackstein, Robert, "Physiologic Migration of Lymphocytes to Lymph Nodes Following Bone Marrow Transplantation: Role in Immune Recovery," <i>Seminars in Oncology</i> , Vol. 20, No. 5, Supp. 6, 34-39 (1993).
77	✓	Sackstein, Robert, et al., "A Hematopoietic Cell L-Selectin Ligand Exhibits Sulfate-Independent Binding Activity," <i>Blood</i> , Vol. 89, No. 8, 2773-2781 (1997).
78	✓	Sackstein, Robert, et al., "Lymphocyte Adhesion to Psoriatic Dermal Endothelium is Mediated by a Tissue-Specific Receptor/Ligand Interaction," <i>The Society for Invest. Dermatology, Inc.</i> , 423-428 (1988).
79	✓	Sako D. et al., "Expression, cloning of a functional glycoprotein ligand for P-selectin," <i>Cell</i> , 75:1179-1186 (1993).
80	✓	Sako, Dianne, et al., "A Sulfated Peptide Segment at the Amino Terminus of PSGL-1 is Critical for P-Selectin Binding," <i>Cell</i> , Vol. 83, 323-331 (1995).
81	✓	Sassetti C. et al., "Identification of podocalyxin-like protein as a high endothelial venule ligand for L-selectin: parallels to CD34," <i>J. Exp. Med.</i> , 187:1965-1975 (1998).
Not avail. 82		Sassetti C. et al., "Identification of podocalyxin-like protein as a high endothelial venule ligand for L-selectin: Parallels to CD34," <i>J. Exp. Med.</i> , 187:1965-1975 (1998).
83	✓	Sassetti, Christopher, et al., "Identification of Podocalyxin-like Protein as a High Endothelial Venule Ligand for L-selectin: Parallels to CD34," <i>J. Exp. Med.</i> , Vol. 187, No. 12, 1965-1975 (1998).
84	✓	Schweitzer KM. et al., "Constitutive expression of E-selectin and VCAM-1 on endothelial cells of the hematopoietic tissues," <i>Am. J. Pathol.</i> , 148:165-175 (1996).

Philip Gander

3/15/04

RECEIVED

MAR 12 2003

TECH CENTER 1600/2900

10/042421

85	✓	Shaw, Stephen et al., "Two antigen-independent adhesion pathways used by human cytotoxic T-cell clones," <i>Nature</i> , Vol. 323, No. 18 (1986).
86	✓	Simmons P. et al., "Potential adhesion mechanisms for localization of hematopoietic progenitors to bone marrow stroma," <i>Leuk. and Lymphoma</i> , 12:353-363 (1994).
87	✓	Snapp KR. et al., "A novel P-selectin glycoprotein ligand-1 monoclonal antibody recognizes an epitope within the tyrosine sulfate motif of human PSGL-1 and blocks recognition of both P- and L-selectin," <i>Blood</i> , 91:154-164 (1998).
88	✓	Spertini O. et al., "P-selectin glycoprotein ligand 1 is a ligand for L-selectin on neutrophils, monocytes and CD34+ hematopoietic progenitor cells," <i>J. Cell Biol.</i> , 135:523-531 (1996).
89	✓	Spertini, Oliver, et al., "Function and Evolutionary Conservation of Distinct Epitopes on the Leukocyte Adhesion Molecule1 (T -1, Leu-8) That Regulate Leukocyte Migration ¹ ," <i>Journal of Immun.</i> , Vol. 147, 942-949, No. 3 (1991).
90	✓	Spertini, Oliver, et al., "Leukocyte Adhesion Molecule-1 (Lam-1, L-Selectin) Interacts with an Inducible Endothelial Cell Ligand to Support Leukocyte Adhesion," <i>Journal of Immun.</i> , Vol. 147, 2565-2573 (1991).
91	✓	Springer, Timothy A. et al., "The Lymphocyte Function-Associated LFA-1, CD2, and LFA-3 Molecules: Cell Adhesion Receptors of the Immune System," <i>Am. Rev. Immunol.</i> , 5:223-52 (1987).
92	✓	Stamper, Hugh B. Jr. et al., "Lymphocyte Homing into Lymph Nodes: In Vitro Demonstration of the Selective Affinity of Recirculating Lymphocytes for High-endothelial Venules," <i>Journ. Of Experimental Med.</i> , Vol. 144, 828-833 (1976).
93	✓	Stoolman, LM et al., "Phosphomannosyl Receptors May Participate in the Adhesive Interaction between Lymphocytes and High Endothelial Venules," <i>Journal of Cell Biology</i> , Vol. 99, 1535-1540 (1984).
94	✓	Stoolman, LM et al., "Possible Role for Cell-surface Carbohydrate-binding Molecules in Lymphocyte Recirculation," <i>Journal of Cell Biology</i> , Vol. 96, 722-729 (1983).
95	✓	Streeter PR. et al., "Immunohistologic and functional characterization of a vascular addressin involved in lymphocyte homing into peripheral lymph nodes," <i>J. Cell Bio.</i> , 107:1853-1862 (1988).
96	✓	Streeter, Philip R. et al., "A tissue-specific endothelial cell molecule involved in lymphocyte homing," <i>Nature</i> , Vol. 331, No. 7, 41-48 (1988).
97	✓	Sutherland, Robert D. et al., "Differential Sensitivity of CD34-positive Progenitor Cells," <i>Exp. Hematol.</i> , 20:590-599 (1992).
98	✓	Suzuki, Yasuo, et al., "Sulfated Glycolipids are Ligands for a Lymphocyte Homing Receptor, L-Selectin (Lecam-1), Binding Epitope in Sulfated Sugar Chain," <i>Biochemical and Biophysical Research Comm.</i> , Vol. 190, No. 2, 426-434 (1993).
99	✓	Tangemann K. et al., "Sulfation of a high endothelial venule-expressed ligand for L-selectin: Effects on tethering and rolling of lymphocytes," <i>J. Exp. Med.</i> , 190:935-941 (1999).
100	✓	Tarentino AL. et al., "Multiple endoglycosidase F activities expressed by <i>Flavobacterium meningosepticum</i> endoglycosidases F ₂ and F ₃ ," <i>J. Biol. Chem.</i> , 268:9702-9708 (1993).

Peter Gamber

3/10/04

RECEIVED

MAR 12 2003

TECH CENTER 1600/2900

60/04244

101	✓	Tedder, Thomas F. et al., "Expression of the Human Leukocyte Adhesion Molecule, LAM1 Identity with the T ₁ and Leu-8 Differentiation Antigens ¹ ," <i>Journ. Of Immun.</i> , Vol. 144, 532-540 (1990).
102	✓	Terstappen, Leon WMM, et al., "Flow Cytometric Assessment of Human T-Cell Differentiation in Thymus and Bone Marrow," <i>Blood</i> , Vol. 79, No. 3, 666-677 (1992).
103	✓	Tracey JB. et al., "haracterization of the P-selectin ligand on human hematopoietic progenitors," <i>Exp. Hematol.</i> , 24:1494-1500 (1996).
104	✓	Trimble RB. et al., "Identification of distinct endoglycosidase (Endo) activities in <i>Flavobacterium meningosepticum</i> : Endo F ₁ , Endo F ₂ and Endo F ₃ ," <i>J. Biol. Chem.</i> , 266:1646-1651 (1991).
105	✓	True, David D. et al., "Requirement for Sialic Acid on the Endothelial Ligand of a Lymphocyte Homing Receptor," <i>Journal of Cell Biol.</i> , Vol. 111, No. 6, 2757-2764 (1990).
106	✓	Tu L. et al., "L-selectin binds to P-selectin glycoprotein ligand-1 on leukocytes: Interactions between the lectin, epidermal growth factor and consensus repeat domains of the selectins determine ligand binding specificity," <i>J. Immunol.</i> , 157:3995-4004 (1996).
107	✓	Vachino G. et al., "P-selectin glycoprotein ligand-1 is the major counter-receptor for P-selectin on stimulated T cells and is widely distributed in non-functional form on many lymphocytic cells," <i>J. Biol. Chem.</i> , 270:21966-21974 (1995).
108	✓	Varki A., "Selectin ligands," <i>Proc. Natl. Acad. Sci. USA</i> . 91:7390-7397 (1994).
109	✓	Verfaillie CM., "Adhesion receptors as regulators of the hematopoietic process," <i>Blood</i> , 92:2609-2612 (1998).
110	✓	Walcheck B. et al., "Neutrophil-neutrophil interactions under hydrodynamic shear stress involve L-selectin and PSGL-1," <i>J. Clin. Invest.</i> , 98:1081-1087 (1996).
111	✓	Watanabe T., "Cell adhesion molecule expression on CD34+ cells in grafts and time to myeloid and platelet recovery after autologous stem cell transplantation," <i>Exp. Hematol.</i> , 26:10-18 (1998).
112	✓	Watson, Susan R, et al., "A Homing Receptor-IgG Chimera as a Probe for Adhesive Ligands of Lymph Node High Endothelial Venules," <i>Journal of Cell Biology</i> , Vol. 110, 2221-2229 (1990).
113	✓	Wilson, Anne P. et al., "Evidence that Leukosialin, CD43, is Intensely Sulfated in the Murine T Lymphoma Line RDM-4 ¹ ."
114	✓	Woodruff, Judith J. et al., "An <i>In Vitro</i> Model of Lymphocyte Homing," <i>Journal of Immun.</i> , Vol. 119, No. 5, 1603-1610 (1977).
115	✓	Woodruff, Judith J. et al., "Specific Cell-Adhesion Mechanisms Determining Migration Pathways of Recirculating Lymphocytes," <i>Am. Rev. Immunol.</i> , 5:201-222 (1987).
116	✓	Yamashita, Katsuko, et al., "Organ-Specific Difference in the Sugar Chains of γ -Glutamyltranspeptidase ¹ ," <i>Archives of Biochemistry and Biophysics</i> , Vol. 224, No. 2, 993-996 (1983).
117	✓	Yamashita, Katsuko, et al., "The Structures of the Carbohydrate Moieties of Mouse Kidney γ -Glutamyltranspeptidase: Occurrence of X-Antigenic Determinants and Bisecting N-Acetylglucosamine Residues ¹ ," <i>Archives of Biochemistry and Biophysics</i> , Vol. 240, No. 2, 573-582 (1985).
118	✓	Yednock, Ted A. et al., "Phosphomannosyl-derivatized Beads Detect a Receptor Involved in Lymphocyte Homing," <i>Journal of Cell Biol.</i> , Vol. 104, 713-723 (1987).


PHENOL G 1 mg/ml

3/15/04

RECEIVED


MAR 12 2003

TECH CENTER 1603/2000

119	✓	Zannettino ACW. et al, "Primitive human hematopoietic progenitors adhere to P-selectin (CD62P)," <i>Blood</i> , 85:3466-3477 (1995).
120	✓	Zhou Q. et al, "The selectin GMP-140 binds to sialylated, fucosylated lactosaminoglycans on both myeloid and nonmyeloid cells," <i>J. Cell Biol.</i> , 115:557-564 (1991).
EXAMINER		DATE CONSIDERED
		3/15/04
<p>EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.</p>		

PTO/SB/ 08 (2-92)

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE



RECEIVED

MAR 12 2003

TECH CENTER 1600/2900